




CJC-1295/IPAMORELIN

PHYSICIAN EDUCATION



WHAT IS CJC-1295?

CJC-1295 is a tetrasubstituted 29-amino acid Growth Hormone Releasing Hormone (GHRH) analog. It stimulates a release of HGH and IGF-1 without raising prolactin levels, leading to fat loss and increased protein synthesis thereby promoting growth of muscle. Our CJC-1295 is compounded without DAC (Drug Affinity Complex) which provides a more effective GH spike resembling a normal physiologic release of GH.

WHAT IS IPAMORELIN? HOW IS IT USED WITH CJC-1295?

Ipamorelin Acetate is a Growth Hormone Releasing Peptide (GHRP) that assists increasing the amount of growth hormone released. Ipamorelin is a pentapeptide composed of five amino acids and has a biological half-life of 2 hours after administration. It is widely known for being able to suppress somatostatin or Growth Hormone Inhibiting Hormone (GHIH). Using CJC-1295 in conjunction with Ipamorelin may be more effective in the production of growth hormone secretion, and in helping speed recovery time after an injury.

“This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.”

BENEFITS

Patient benefits over time may include:

- Promotes slow wave sleep
- Improves memory retention
- Stimulates muscle growth
- Aids in fat loss & lean muscle

TYPICAL PRESCRIBING PROTOCOL:

- Benefits can be seeing using as little as 100mcg of each CJC-1295/Ipamorelin.
- Injections can be done before bed or TID.
- Recommended to take at least 30 minutes away from food.
- Patients with a higher BMI or high estrogen levels may require larger doses.

RECOMMENDED TREATMENT PLANS BASED ON EACH VIAL LASTING 30 DAYS:

- A** 30 doses 0.07cc (7 units) subcutaneous provides 133mcg/133mcg per injection
- B** 20 doses 0.10cc (10 units) subcutaneous provides 200mcg/200mcg per injection
- C** 40 doses 0.05 cc (5 units) subcutaneous provides 100mcg/100mcg per injection (AM + PM)

* THE INFORMATION PROVIDED HERE IS FOR REFERENCE ONLY AND IS NOT TO BE RELIED UPON AS MAKING ANY REPRESENTATION AS TO THE EFFICACY OF ANY PARTICULAR FORMULATIONS. THE SAMPLE FORMULATIONS DESCRIBED HERE IN RESULT FROM PRESCRIPTIONS PREVIOUSLY ORDERED BY PROFESSIONALS LICENSED TO WRITE PRESCRIPTIONS IN THEIR RESPECTIVE DISCIPLINE. NOTHING HERE IS INTENDED TO REPLACE OR INFLUENCE THE INDEPENDENT JUDGMENT OF ANY LICENSED PROFESSIONAL.

