

Semaglutide Therapy Dosing Guidelines:

Empower Pharmacy

5mg/.5/2.5mL Vial Semaglutide Injection schedule

First 90 Days = 1 – 5mg/.5/2.5mL vial (1 bottle)

This is the estimated titration schedule for patients. If a patient has significant nausea, we want to keep them at the prior week's dose. If the patient seems to be titrating up faster than this schedule. Please make Medical Team aware.

Week 1 – .05ml = .25mg

Week 2 – .10ml = .50mg

Week 3 – .10ml = .50mg

Week 4 – .10ml = .50mg

Week 5 – .15ml = .75mg

Week 6 – .15ml = .75mg

Week 7 – .15ml = .75mg

Week 8 – .15ml = .75mg

Week 9 – .20ml = 1mg

Week 10 - .20ml = 1mg

Week 11 - .25ml = 1.25mg

Week 12 - .25ml = 1.25mg

Tailor Made Compounding

5mg/ml 2ml Vial Semaglutide Injection schedule

This is the estimated titration schedule for patients. If a patient has significant nausea, we want to keep them at the prior week's dose. If the patient seems to be titrating up faster than this schedule. Please make Medical Team aware.

First 90 Days = 1 – 5mg/ml 2ml vial (1 bottle)

Week 1 – .05ml = .25mg

Week 2 – .10ml = .50mg

Week 3 – .10ml = .50mg

Week 4 – .10ml = .50mg

Week 5 – .15ml = .75mg

Week 6 – .15ml = .75mg

Week 7 – .15ml = .75mg
Week 8 – .15ml = .75mg
Week 9 – .20ml = 1mg
Week 10 – .20ml = 1mg
Week 11 – .25ml = 1.25mg
Week 12 – .25ml = 1.25mg

2nd 90 days = 2 - 5mg/ml 2ml vial (2 bottles)

Week 1 – .25ml = 1.25mg
Week 2 – .25ml = 1.25mg
Week 3 – .25ml = 1.25mg
Week 4 – .25ml = 1.25mg
Week 5 – .30ml = 1.50mg
Week 6 – .30ml = 1.50mg
Week 7 – .35ml = 1.75mg
Week 8 – .35ml = 1.75mg
Week 9 – .40ml = 2mg
Week 10 – .40ml = 2mg
Week 11 – .45ml = 2.25mg
Week 12 – .45ml = 2.25mg

Wells Pharmacy Compounding

2.5mg/ml 4.5ml Vial Semaglutide Injection

This is the estimated titration schedule for patients. If a patient has significant nausea, we want to keep them at the prior week's dose. If the patient seems to be titrating up faster than this schedule. Please make Medical Team aware.

First 90 Days 1 - 2.5mg/ml vial 4.5ml (1 bottle)

Week 1 – .05ml = .25mg
Week 2 – .10ml = .50mg
Week 3 – .10ml = .50mg
Week 4 – .10ml = .50mg
Week 5 – .15ml = .75mg
Week 6 – .15ml = .75mg
Week 7 – .15ml = .75mg
Week 8 – .20ml = 1mg
Week 9 – .20ml = 1mg
Week 10 – .20ml = 1mg

Week 11 - .25ml = 1.25mg

Week 12 - .25ml = 1.25mg

2nd 90 days = 2 – 2.5mg/ml 2ml vial (2 bottles)

Week 1 – .25ml = 1.25mg

Week 2 – .30ml = 1.50mg

Week 3 – .30ml = 1.50mg

Week 4 – .30ml = 1.50mg

Week 5 – .35ml = 1.75mg

Week 6 – .35ml = 1.75mg

Week 7 – .35ml = 1.75mg

Week 8 – .40ml = 2mg

Week 9 – .40ml = 2mg

Week 10 – .40ml = 2mg

Week 11 – .45ml = 2.25mg

Week 12 - .45ml = 2.25mg